

This Page Is Inserted by IFW Operations
and is not a part of the Official Record

BEST AVAILABLE IMAGES


Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

**As rescanning documents *will not* correct images,
please do not report the images to the
Image Problem Mailbox.**




5 1x2 switches
in 3 switch modules:
1 single
2 dual

Fig-1

	Neon
Data	
	Neon
Data	
	Neon + Shifted Laser Cal
Data	
	Neon
Data	
	Neon

Fig-2

Interleaved Probe Data and Neon Calibration Data (Fig.3)







Fig - 4






Fig-5



F-127-6

Broadband Halogen Source for CCD Auto-Binning (Fig. 7)






Fig-8A




Fig 8B




Fig-9

CVD Diamond Samples vs. Neon Spectra (Figure 10)





Fig - 11






Fig-12




Fig-13

Schematic of IS Interlock




Fig-14A

Schematic of IS Interlock Driving Probe Head "Laser Emission" Indicator







Fig-14B







Switched Collection as well as excitation paths (Fig. 18)

